



HONDEL
LIGHTING

2023

专业线型照明型材供应商














































Professional supplier of linear lighting profiles

线条灯型材 办公灯 折弯铝型材 硅胶套管
Linear Aluminum Profile, Bending Profile, Silicone Sleeve
























LED线条灯 产品简图

橱柜型材系列


							
型号: CSC08	型号: CSC09	型号: CSC10	型号: CSC11	型号: CSC12	型号: CSC13	型号: CSC14	型号: CSC15
							
型号: CSC16	型号: CSC17	型号: CSC18	型号: CSC03	型号: CSC19	型号: CSC20	型号: CSC21	型号: CSC22
							
型号: CSC23	型号: CSC24	型号: CSC34	型号: CS96	型号: CS231	型号: CS2029	型号: CS265	型号: CS2102
							
型号: CS56	型号: CS317B	型号: CS2089	型号: CS254	型号: CS259	型号: CS253	型号: CS262	型号: CS232
							
型号: CS080	型号: CS2092	型号: CS2093	型号: CS2090	型号: CS125	型号: CS244	型号: CSCS-70	型号: CS245
							
型号: CS002	型号: CS2094	型号: CS315	型号: CS314	型号: CS317A	型号: CS317	型号: CS316A	型号: CS316

线条灯系列


									
型号: CS321	型号: CS2029	型号: CS232	型号: CS324	型号: CS324A	型号: CS198	型号: CS1980带边	型号: CS311	型号: CS72	型号: YH-30
									
型号: 45	型号: CS2018	型号: CS2016	型号: CS2015	型号: CS80	型号: CS81	型号: 197	型号: CS325	型号: 200	型号: 240




型号: 11 型号: 12# 型号: CS122 型号: CS121 型号: CS120 型号: 29 型号: 146 型号: CS131 型号: CS131A 型号: CS298




型号: 57 型号: 193 型号: CS119 型号: CS2007 型号: CS211 型号: CS211A 型号: CS37 型号: CS219 型号: CS267 型号: CS75




型号: CS36 型号: 26 型号: 68 型号: CS38 型号: CS39 型号: CS190 型号: CS348A 型号: CS191 型号: CS190 型号: CS314




型号: CS134 型号: CS134A 型号: CS3010带边 型号: CS3010带边厚 型号: 236 型号: 235 型号: CS77 型号: CS347A 型号: CS299 型号: CS299A




型号: CS25 型号: CS5020带边 型号: CS58最小号 型号: CSCK22 型号: 58 型号: CS58方形 型号: CS59A 型号: CS61 型号: CS小三角 型号: CS大三角



型号: CS201 型号: CS210 型号: CS3010带边厚 型号: CS246 型号: CS246A 型号: CS426 型号: CS427




型号: CS16圆形 型号: 203弧 型号: 203方形 型号: 203方形20*27 型号: 3860 型号: CS5550 型号: CS8075 型号: CS直径30 型号: CS2014 型号: CS直径60新款




型号: CS直径60 型号: CS直径120


预埋系列




型号: CS花边318 型号: CS花边01# 型号: CS花边02 型号: CS花边03 型号: CS花边172 型号: CS花边12 型号: CS花边2051反边 型号: CS花边327A# 型号: CS花边327#




型号: CS花边327B 型号: CS花边327C 型号: CS花边281# 型号: CS花边05 型号: CS花边04 型号: CS花边2054 型号: CS花边2053 型号: CS花边326B 型号: CS花边326C 型号: CS花边326



型号: CS花边326A 型号: CS花边06 型号: CS花边07 型号: CS花边344# 型号: CS花边290 型号: CS花边290A 型号: CS花边10 型号: CS花边09 型号: CS-359




型号: CS2077# 型号: CS顶角线45*45 型号: CS顶角线60*60 型号: CS顶角线69*69 型号: CS顶角线85*85 型号: CS天花灯309




型号: CS顶角线95*95 型号: CS花边2069 型号: CS285 型号: CS花边230#

回光系列




型号: CS花边305 型号: CS回光2 型号: CS花边234A 型号: CS回光3 型号: CS回光8 型号: CS回光9 型号: CS花边307 型号: CS花边165#大号 型号: CS花边2072# 型号: CS花边2092#




型号: CS花边334#小号 型号: CS花边334#中号 型号: CS花边334# 型号: CS回光10 型号: CS花边2033# 型号: CS花边2100 型号: CS花边2050 型号: CS花边2049 型号: CS花边2099

地脚线系列




型号: CS6016# 地脚线 型号: CS8016# 地脚线 型号: CS8016# 地脚线正发光 型号: CS6016# 地脚线正发光 型号: CS2061 型号: CS2052 型号: CS011#地脚线 型号: CS227#地脚线 型号: CS010#地脚线 型号: CS233#地脚线




型号: CS2082# 型号: CS138 型号: CS271 型号: CS272 型号: CS80*80

三防系列




型号: CS三防灯-0P 型号: CS三防灯-01 型号: CS三防灯-03 型号: CS三防灯-02 型号: CS三防灯-04 型号: CS三防灯-07 型号: CS三防灯-08


办公系列




硅胶夹子系列




硅胶系列




型号: 8*8 型号: 10*10 型号: 12*12 型号: 14*14 型号: 15*15 型号: 15*10 型号: 16*16 型号: 18*16 型号: 20*14 型号: 20*20




型号: 30*20 型号: 25*25 型号: 30*20 型号: 30*11 型号: 30*14 型号: 40*25 型号: 40*25-5 型号: 50*25-5 型号: 10*10 型号: 12*12




型号: 15*15 型号: 16*16 型号: 20*10 型号: 20*10 型号: 10*10 型号: 12*12 型号: 14*14 型号: 6*3*12-2 型号: 16*16 型号: 20*20




型号: 10*10 型号: 12*12 型号: 14*14 型号: 10*10 型号: 10*10 型号: 16*16 型号: 20*10 型号: 20*14 型号: 20*20 型号: 30*15




型号: 30*21 型号: 35*25 型号: 40*25 型号: 50*25 型号: 10*10 型号: 12*12 型号: 14*14 型号: 16*16 型号: 18*16 型号: 20*10




型号: 20*14 型号: 20*20 型号: 40*25 型号: 30*20 型号: 50*25 型号: 7*6*11-6 型号: 6*6*13-6 型号: 10*6*15-6 型号: 10*6*20-6 型号: 110*6*16-6



型号: 10*17 型号: 14*58*23-6 型号: 16*58*25-6 型号: 13*48*23-6 型号: 4*10 型号: 6*13 型号: 10*10 型号: 12*12 型号: 14*14 型号: 16*16



型号: 20*10 型号: 6*2*12-2 型号: 6*16 型号: 16*16 型号: 20*20 型号: 圆形145 型号: 圆形17 型号: 圆形21 型号: 圆形119 型号: 圆形225



型号: 圆形4 型号: 半圆形10*10 型号: 半圆形15*13 型号: 半圆形13*13

CK08

End Caps

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

CK11

End Caps

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

CK08

End Caps

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

CK12

End Caps

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

CS8X8

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

CS324

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opt PC Milky PC Frosted PC Clear

YH-231

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opt PC Milky PC Frosted PC Clear

YH-2029

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opt PC Milky PC Frosted PC Clear

YH-198

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS401A

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opal PC Milky PC Frosted PC Clear

YH-198A

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS311

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS183

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS-400

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS183A

End caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS401

End Caps Metallic mounting clips



Cover: PC/PMMA/Clear/Milky

Silver Black White

-Installation method

PMMA Opal PC Milky PC Frosted PC Clear




YH-200



· Installation method





YH-200H





· Installation method

CS-324A





· Installation method

CS-121




· Installation method




YH-240




· Installation method




YH-29



· Installation method






YH-240B



· Installation method


YH-29B




· Installation method






CS-406




-Installation method






CS385



-Installation method





CS-406B




-Installation method




YH-57



-Installation method






CS-199



-Installation method




YH-11



-Installation method





YH-193




-Installation method



YH-12



-Installation method



YH-1113

YH-238

YH-1213

YH-239

CS-217

YH-201

CS-204

YH-210

CS-125

Cover: PC/PMMA/Clear/Milky

0.71(18.0mm) 1.17(29.6mm)
 0.77(19.5mm) 0.22(5.6mm)

Silver Black White

• Installation method

CS-57

Cover: PC/PMMA/Clear/Milky

0.65(16.5mm) 0.83(21.0mm)
 0.25(6.4mm)

Silver Black White

• Installation method

CK-03

Cover: PC/PMMA/Clear/Milky

0.71(18.0mm) 0.29(7.3mm) 0.32(8.2mm)
 0.42(10.6mm)

Silver Black White

• Installation method

CS-70

Cover: PC/PMMA/Clear/Milky

0.79(20.0mm) 0.71(18.0mm) 0.44(11.2mm)
 1.18(30.0mm)

Silver Black White

• Installation method

YH-2051

Cover: PC/PMMA/Clear/Milky

0.77(19.4mm) 0.88(22.4mm) 1.54(39.0mm) 1.95(49.6mm)

Silver Black White

• Installation method

YH-58

Cover: PC/PMMA/Clear/Milky

0.83(16.0mm) 0.41(10.5mm) 0.62(16.0mm)

Silver Black White

• Installation method

PMMA Cool PC Milky PC Frosted PC Clear



YH-58A

Cover: PC/PMMA/Clear/Milky

0.83(16.0mm) 0.41(10.5mm) 0.62(16.0mm)

Silver Black White

• Installation method

YH-59

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

0.70(19.0mm) 0.42(11.1mm)

Silver Black White

PMMA Opal PC Milky PC Frosted PC Clear

*Installation method

CS-199

90° joining connector 15° joining connector 90°A joining connector 180° joining connector

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

1.18(30.0mm) 0.8(20.3mm)

Silver Black White

PMMA Opal PC Milky PC Frosted PC Clear

*Installation method

CS-386

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

0.72(18.5mm) 0.50(12.7mm)

Silver Black White

PMMA Opal PC Milky PC Frosted PC Clear

*Installation method

CS-199A

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

1.18(30.0mm) 0.8(20.3mm)

Silver Black White

PMMA Opal PC Milky PC Frosted PC Clear

*Installation method

YH-26

End Caps Metallic mounting clips Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

0.44(11.2mm) 0.8(20.3mm)

Silver Black White

PMMA Opal PC Milky PC Frosted PC Clear

*Installation method

YH-68

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

0.39(10.0mm) 0.8(20.3mm)


Silver Black White

PMMA Opal PC Milky PC Frosted PC Clear



*Installation method




YH-203C




YH-203B



CS134A




CS26



CS134



CS28



CS38

End Caps Metallic mounting clips

Cover: PC/Clear/Milky

0.85(21.5mm) 0.81(20.5mm) 0.93(23.5mm)

Silver Black White

PMMA Opt PC Milky PC Frosted PC Clear

-Installation method

YH-191

End Caps Metallic mounting clips

Cover: PC/Clear/Milky

1.1(27.9mm) 0.92(23.4mm) 0.73(18.6mm)

Silver Black White

-Installation method

CS39

End Caps Metallic mounting clips

Cover: PC/Clear/Milky

0.85(21.5mm) 0.81(20.5mm) 0.93(23.5mm) 1.18(30.0mm)

Silver Black White

PMMA Opt PC Milky PC Frosted PC Clear

-Installation method

YH-190

End Caps Metallic mounting clips

Cover: PC/Clear/Milky

1.44(36.5mm) 0.92(23.4mm) 0.73(18.6mm) 0.93(23.5mm)

Silver Black White

-Installation method

CS36#

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

0.79(20.0mm) 0.79(20.0mm)

Silver Black White

-Installation method

CS-75#

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

1.98(50.0mm) 0.79(20.0mm) 0.79(20.0mm)

Silver Black White

-Installation method



YH195#

End Caps Metallic mounting clips

Cover: PC/Clear/Milky

0.33"(8.3mm) 1.00"(25.4mm) 1.54"(39.1mm)

Silver Black White

•Installation method

CS285#

End Caps

Cover: PC/Clear/Milky

14.0mm 49.1mm 37.1mm

Silver Black White

•Installation method

PMMA Opal PC Milky PC Frosted PC Clear

Sort by Product width

CS-8016#

End Caps

Cover: PC/PMMA/Clear/Milky

3.17"(80.0mm) 0.41"(10.5mm) 0.34"(8.7mm) 0.41"(10.5mm)

Silver Black White

•Installation method

CS-147#

End Caps

Cover: PC/Clear/Milky

0.56"(14.0mm) 0.41"(10.5mm) 0.53"(13.5mm)

Silver Black White

•Installation method

CS-232#

End Caps


Cover: PC/Clear/Milky

0.68"(17.3mm) 0.48"(12.2mm) 0.67"(17.0mm)

Silver Black White

•Installation method

Opal Milky Frosted Clear





CS-144#

End Caps

Cover: PC/Clear/Milky

0.112(3.2mm)
0.56(14.0mm)
#4(11.3mm) #4
#5(13.2mm) #4

Silver Black White

Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS-141#

End Caps

Cover: PC/Clear/Milky

0.56(14.0mm) 0.075(1.9mm)
#4(11.3mm) #4
#5(13.2mm) #4
1.31(33.0mm)

Silver Black White

Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS-145#

End Caps

Cover: PC/Clear/Milky

0.12(3.1mm)
0.56(14.0mm)
#4(11.3mm) #4
1.81(46.0mm)

Silver Black White

Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS-327#

End Caps

Cover: PC/Clear/Milky

0.81(20.5mm) 0.55(13.9mm)
#4(11.3mm) #4
#5(13.2mm) #4
2.24(56.9mm)

Silver Black White

Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS-142#

180° joining connector End Caps End Caps

Cover: PC/Clear/Milky

0.56(14.0mm) 2.42(61.5mm)
#4(11.3mm) #4
1.13(28.5mm)

Silver Black White

Installation method

PMMA Opal PC Milky PC Frosted PC Clear

CS-165#

End Caps

Cover: PC/Clear/Milky

0.48(12.2mm) 3.94(100.0mm) 0.77(19.6mm)
#4(11.3mm) #4
#5(13.2mm) #4

Silver Black White

Installation method

PMMA Opal PC Milky PC Frosted PC Clear

YH61#

End Caps Plastic mounting clips

Cover: PC/Clear/Milky

0.51"(14.4mm)

0.49"(12.4mm)

0.87"(21.9mm)

2.37"(59.3mm)

Silver Black White

PMMA Opal PC Milky PC Frosted PC Clear

-Installation method

YH2051#

End Caps Plastic mounting clips

Cover: PC/PMMA/Clear/Milky

0.81"(19.5mm)

0.89"(11.5mm)

1.72"(43.8mm)

Silver Black White

-Installation method

CS-138#

End Caps Metallic mounting clips

Cover: PC/Clear/Milky

1.97"(50.0mm)

Silver Black White

-Installation method

CS-327A#

End Caps Metallic mounting clips

Cover: PC/PMMA/Clear/Milky

0.49"(12.5mm)

0.52"(13.3mm)

2.07"(52.5mm)

Silver Black White

-Installation method

CS-184#

End Caps

Cover: PC/PMMA/Clear/Milky

2.67"(68.3mm)

2.24"(57.0mm)

0.85"(21.5mm)

3.38"(86.0mm)

Silver Black White

-Installation method

CS-186#

End Caps

Cover: PC/PMMA/Clear/Milky

3.56"(90.5mm)

1.42"(36.0mm)

1.97"(49.9mm)

0.41"(10.3mm)

Silver Black White

-Installation method

CS-189#

End Caps

Cover: PC/PMMA/Clear/Milky

0.41"(10.3mm)

0.47"(10.3mm)

1.38"(34.5mm)

2.07"(51.3mm)

3.56"(90.5mm)

Silver Black White

-Installation method

YH2053#

End Caps

Cover: PC/PMMA/Clear/Milky

1.57"(39.9mm)

0.38"(9.8mm)

1.57"(39.9mm)

Silver Black White

-Installation method

YH2054#

Cover: PC/PMMA/Clear/Milky

1.67(42.7mm)
0.47(12.5mm)
0.38(9.6mm)
1.67(42.7mm)

Installation method

Silver Black White

YH2061#

Cover: PC/PMMA/Clear/Milky

0.53(13.5mm)
2.38(60.0mm)
0.41(10.4mm)
15.6mm

Installation method

Silver Black White


YH2052#

Cover: PC/PMMA/Clear/Milky

0.51(13.5mm)
2.38(60.0mm)
0.41(10.4mm)
15.6mm

Installation method

Silver Black White



CS-296#

End Caps

Cover: PC/Clear/Milky

1.92(48.8mm)
2.1(51.0mm)

Installation method

PMMA Opal P-EMilky P-EG Frosted P-FC Clear

Silver Black White

CS-281#

End Caps

Cover: PC/PMMA/Clear/Milky

0.74(18.7mm)
1.67(42.5mm)
0.62(16.0mm)

Installation method

Silver Black White

CS-229#

End Caps

Cover: PC/Clear/Milky

0.078(2mm)
0.51(13.5mm)
0.73(18.5mm)
3.51(88.7mm)
0.067(1.7mm)

Installation method

Silver Black White

YH2082#

Metallic mounting clips End Caps

Cover: PC/Clear/Milky

0.67(17.0mm)
1.62(42.0mm)
0.48(12.3mm)


Installation method

PMMA Opal PC Milky PC Frosted PC Clear


Silver Black White




CS-234#




CS-234A#





YH-CS102



YHCS-27#



CS-103#





OFFICE SERIES

办公灯系列

Most of the time is spent on work, so a healthy office lighting environment is becoming more and more important to us.

大部分时间都花在工作上，所以健康的办公照明环境对于我们来说越来越重要了



Cross Connection



T shape Connection



90° Degree Connection




180° Degree Connection



L,T and + Standard Module Node connectors
Each node connector has diverse of electrical feed-in and feed-out

NODE CONNECTOR

All system components can be combined without tools. L,T and + connectors expand the system's application range.



Silver-Anodizing



White-Painting







Black-Painting



Installation

- Pendant Chain Installation
- Pendant Cord Installation
- Pendant Rod Installation
- Surface Mounted
- Mounting Clip



CS-128

End Caps Metallic mounting clips Metallic mounting clips Mounting clips

Cover: PC/Clear/Milky

2.95(75.0mm)

1.08(27.4mm) 1.97(50.0mm)

■ Silver ■ Black ■ White

Installation method

CS97

Mounting clips End Caps Metallic mounting clips

Cover: PC/Clear/Milky

2.95(75.0mm)

1.08(27.4mm) 1.97(50.0mm)

■ Silver ■ Black ■ White

Installation method

CS-129

End Caps Metallic mounting clips Metallic mounting clips

Cover: PC/Clear/Milky

3.54(90.0mm)

1.08(27.4mm) 1.97(50.0mm)

■ Silver ■ Black ■ White

Installation method

CS128B

End Caps Mounting clips Metallic mounting clips

Cover: PC/Clear/Milky

2.95(75.0mm)

1.08(27.4mm) 1.97(50.0mm) 2.41(61.0mm)

■ Silver ■ Black ■ White

Installation method

PL097

Installation method

1.97(50.0mm)

2.95(75.0mm)

1.20(32.1mm)

■ Silver ■ Black ■ White


PL125

Installation method

2.11(53.8mm)


3.15(80.0mm)

1.41(35.8mm)




办公灯--工程系列


Office Light Engineering Series




型号 **CS3535C-A**




型号 **CS4035C-A**




型号 **CS5035C-A** **HOT 热卖款**





型号 **CS6035C-A**




型号 **CS7035C-A** **HOT 热卖款**




型号 **CS7535C-A**




型号 **CS8035C-A**




型号 **CS9035C-A**




型号 **CS10035C-A** **HOT 热卖款**




型号 **CS3535C**




型号 **CS4035C**




型号 **CS5035C** **HOT 热卖款**





型号 **CS6035C**




型号 **CS7035C** **HOT 热卖款**




型号 **CS7535C** **HOT 热卖款**



型号 **CS8035C**





型号 **CS9035C**




型号 **CS10035C** **HOT 热卖款**

办公灯--工程系列


Office Light Engineering Series




型号 CS4040C




型号 CS5040C **HOT 热卖款**




型号 CS6040C




型号 CS7040C **HOT 热卖款**




型号 CS7540C **HOT 热卖款**





型号 CS8040C




型号 CS9040C




型号 CS10040C **HOT 热卖款**




型号 CS3575C




型号 CS4075C




型号 CS5075C **HOT 热卖款**




型号 CS6075C




型号 CS7075C **HOT 热卖款**




型号 CS7575C **HOT 热卖款**





型号 CS8075C




型号 CS9075C




型号 CS10075C **HOT 热卖款**




CS4040





CS5040




CS6040




CS7040




CS8040



CS9040




CS10040





CS12040




CS15040




CS20040




CS5640




CS6640




CS7640




CS8640





CS9640




CS10640




CS11640






CS13640




CS16640




CS21640




CS4075




CS5075




CS6075




CS7075




CS8075




CS9075




CS10075



CS12085



CS15085



CS20085



HONDEL
LIGHTING



2023

异形照明工程
设计制造商

DESIGN & MANUFACTURE FOR
SPECIAL LIGHTING PROJECT

公司简介 PROFILE

时代变迁，越来越多的九零后和零零后逐步成为房主，传统的装修风格已经满足不了他们个性的需求，设计师们为此主推无主灯设计，因此随着个性的发挥各种奇形怪状的线条灯的应用不断涌现，随之而来的就是加工的难度升级，精准度更高，传统的手工折弯已经无法达到要求，为此我司花重金购买数控滚弯机、数控雕刻机、激光焊机、任意切角等先进设备，专注于异形照明工程的配套服务。

多年的积累，我们滚弯模具已经有两百多套，产品已经可以满足各种场所的需求，宽度10MM-300MM不管是嵌入天花还是埋在地面下均有相应的解决方案，因精准的尺寸和专业的服务，得到无数工程师们的青睐，更是成为各大照明工程的一大亮点。

产品主要应用于各种家装工程、商业写字楼、地铁、医院、学校、商超、机场、私人场所、健身房，以及网红打卡景点，设计师的鬼才设计结合我司精湛的定制工艺加以实现，在哪都将成为一道靓丽的风景线。您负责天马行空，我们来负责工匠精神！

您的满意就是我们最大的追求，也是我们前进的动力。

With the change of the times, more and more post-90s and post-90s people have gradually become homeowners. The traditional decoration style has failed to meet their individual needs. For this reason, designers advocate the design without main lights. Therefore, with the development of personality, the application of various odd shaped line lights continues to emerge, followed by the upgrading of processing difficulty, higher accuracy, and the traditional manual bending can no longer meet the requirements, So far, our company has spent a lot of money to purchase advanced equipment such as CNC roll bending machine, CNC engraving machine, laser welding machine, and arbitrary corner cutting, focusing on supporting services for special-shaped lighting projects.

Over the years of accumulation, we have more than 200 sets of roll bending molds, which can meet the needs of various places. Whether embedded in the ceiling or buried under the ground, there are corresponding solutions for the width of 10MM-300MM. Because of the precise size and professional services, we have won the favor of countless engineering designers, and become a highlight of major lighting projects.

The products are mainly used in various home decoration projects, commercial office buildings, subways, hospitals, schools, supermarkets, airports, private places, gyms, as well as online red card punching attractions. The designer's ghost design is combined with our company's exquisite customization process to achieve a beautiful landscape everywhere.

You are responsible for the sky, and we are responsible for the craftsmanship! Your satisfaction is our greatest pursuit and our driving force.



标准颜色 COLOR



白色
White



黑色
Black



黄铜拉丝
Copper




金色
Gold


型号规则 NAMING RULES

Series 系列	Profile No. 铝材型号	Size 主要尺寸及 截面宽度	Installation 安装方式	Profile Color 铝材颜色	Diffuser 灯罩	Electrical 光电参数	Package 包装
Circular 圆饼	C	3030	Pendant 吊装	Silver	PC cover PC罩	10W/M	Standard 中性包装
Ring 圆弧圆环	R	020A 020B 035A		Black	Silica 硅胶罩	20W/M	
Ellipse 椭圆	E	035B 035D	Ceiling 吸顶	Sand white	PP cover 地踩PP罩	30W/M	Customizable 订制包装
Square 方形	S	040A 040B	Embedded 嵌入安装	Gloden	Optics 光学	订制	
Wave 波浪形	W	050 060	E	Dark grey			
Polygon 多边形	P	075 100					
Example:	CS - R	020A	E	SL	PC	1	S
	CS - R	040A	P	BL	PC	2	C


折弯方向 BENDING DIRECTION




1 ONLY LIGHT DOWN
侧弯下发光




2 ONLY LIGHT RIGHT
内弯右发光



3 ONLY LIGHT LIFE
外弯左发光



4 LIGHT UP AND DOWN
侧弯上下发光



5 LIGHT LIFE AND RIGHT
内弯左右发光

折弯线条灯


BENDING LINEAR LIGHT

分体组合式折弯铝材

COMBINATION PROFILE




Height:
20/35/40/75/87
/90/100/105MM



铝材高度可选20/35/40/50/60/75/100MM,宽度可订制40-300MM.


Aluminium height optional 20/35/40/50/60/75/100MM,40-300 Width also can be customized.



CS-020A

畅销
HOT


材料长度：2.9/3.6/4.1M
宽度可做:30-150mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC罩(可加防眩)
可与30/40/50宽一体铝材对接



CS-020B

畅销
HOT


材料长度：2.9/3.6/4.1M
宽度可做:30-150mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC罩(可加防眩)
可与30/40/50宽一体铝材对接



CS-035A

畅销
HOT


材料长度：2.9/3.6/4.1M
宽度可做:30-150mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC罩(可加防眩)
可与40/50/60/70/80/90
/100/120宽一体铝材对接



CS-035B

畅销
HOT


材料长度：2.9/3.6/4.1M
宽度可做:30-150mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC罩(可加防眩)
可与40/50/60/70/80/90
/100/120宽一体铝材对接



CS-035D

畅销
HOT


材料长度：2.9/3.6/4.1M
宽度可做:30-120mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC/PP罩(可做地踩)



CS-035E


畅销
HOT

材料长度：2.9/3.6/4.1M
宽度可做:30-120mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC/PP罩(可做地踩)




CS-040A

材料长度：2.9/3.6/4.1M
宽度可做:40-200mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC罩(可加防眩)
可与40/50/60/70/80/90/
100/120直条一体型材对接




CS-040B

材料长度：2.9/3.6/4.1M
宽度可做:40-200mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC罩(可加防眩)
可与40/50/60/70/80/90/
100/120直条一体型材对接




CS-050

材料长度：2.9/3.6/4.1M
宽度可做:40-200mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC罩(可加防眩)
可与40/50/70/80/100
直条一体型材对接




CS-060

材料长度：2.9/3.6/4.1M
宽度可做:40-200mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC罩(可加防眩)



CS-075


材料长度：2.9/3.6/4.1M
宽度可做:40-200mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC罩(可加防眩)
可做上下发光



CS-100


材料长度：2.9/3.6/4.1M
宽度可做:40-200mm
最小折弯内半径：
侧弯R>100mm
灯罩：PC罩(可加防眩)
可做上下发光

一体折弯铝材 WHOLE PROFILE FOR BENDING




CS-1010A

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-1010B

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-1510A

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-1510B

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-1515A

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-1515B

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-1612A

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-1612B

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-2010A

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-2010B

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-2015A

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-2015B

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-2020A

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-2020B

材料长度：3.06M
最小折弯半径：
侧弯R>200
内外弯R>120
配PC/硅胶罩




CS-2410A

材料长度：3.06M
最小折弯半径：
侧弯R>300
内外弯R>150
配PC/硅胶罩




CS-2410B

材料长度：3.06M
最小折弯半径：
侧弯R>300
内外弯R>150
配PC/硅胶罩




CS-3010A

材料长度：3.06M
最小折弯半径：
侧弯R>300
内外弯R>150
配PC/硅胶罩




CS-3010B

材料长度：3.06M
最小折弯半径：
侧弯R>300
内外弯R>150
配PC/硅胶罩




CS-3020A

材料长度：3.06M
最小折弯半径：
侧弯R>300
内外弯R>150
配PC/硅胶罩




CS-3020B

材料长度：3.06M
最小折弯半径：
侧弯R>350
内外弯R>150
配PC/硅胶罩




CS-3030

材料长度：2.9/3.6/4.1M
最小折弯内半径：
侧弯R>240mm
内弯R>150mm
灯罩：硅胶PC/PP罩
(可做地踩)




CS-3535

材料长度：2.9/3.6/4.1M
最小折弯内半径：
侧弯R>300mm
内弯R>200mm
灯罩：硅胶PC/PP罩
(可做地踩)




CS-4130

材料长度：2.9/3.6/4.1M
最小折弯内半径：
侧弯R>400mm
灯罩：硅胶PC/PP罩
(可做地踩)




CS-5235

材料长度：2.9/3.6/4.1M
最小折弯内半径：
侧弯R>450mm
灯罩：硅胶PC/PP罩
(可做地踩)



CS-3232

材料长度：2.9/3.6/4.1M
最小折弯内半径：
侧弯R>200mm
可做上下发光或内外发光
灯罩：硅胶PC



CS-5246

材料长度：2.9/3.6/4.1M
最小折弯内半径：
侧弯R>400mm
可做上下发光或内外发光
灯罩：硅胶PC

上下发光
Lighting up/down




一体折弯铝材

WHOLE PROFILE BENDS


磁吸轨道滚弯

MAGNETIC TRACK BENDING




CS-2753

材料长度：1/2/3M
最小折弯内半径：
侧弯R>300mm
20明装磁吸4线铜条
标准尺寸：Ø800/900/
1000/1200/1500/1800




CS-5155

材料长度：1/2/3M
最小折弯内半径：
侧弯R>300mm
20明装磁吸4线铜条
标准尺寸：Ø800/900/
1000/1200/1500/1800




CS-2621A

材料长度：1/2/3M
最小折弯内半径：
侧弯R>200mm
20明装磁吸4线铜条



CS-2621B

材料长度：1/2/3M
最小折弯内半径：
侧弯R>300mm
20暗装磁吸4线铜条




CS-2621C

材料长度：1/2/3M
最小折弯内半径：
侧弯R>300mm
20压板磁吸4线铜条


花边地脚线滚弯

EMBEDDED BENDING




CS-327

材料长度：3.06M
最小折弯半径：
侧弯R>500
配硅胶罩




CS-327A

材料长度：3.06M
最小折弯半径：
侧弯R>500
配硅胶罩




CS-327B

材料长度：3.06M
最小折弯半径：
侧弯R>350
配硅胶罩




CS-327C

材料长度：3.06M
最小折弯半径：
侧弯R>350
配硅胶罩




CS-326

材料长度：3.06M
最小折弯半径：
侧弯R>600
配硅胶罩




CS-326A

材料长度：3.06M
最小折弯半径：
侧弯R>600
配硅胶罩




CS-326B

材料长度：3.06M
最小折弯半径：
侧弯R>450
配硅胶罩



CS-326C

材料长度：3.06M
最小折弯半径：
侧弯R>350
配硅胶罩



CS-281

材料长度：3.06M
最小折弯半径：
侧弯R>600
配硅胶罩



CS-1680

80高地脚线
材料长度：1/2/3M
最小折弯内半径：
内外弯R>250mm



CS-1560

60高地脚线
材料长度：1/2/3M
最小折弯内半径：
内外弯R>200mm




CS-1346

材料长度：1/2/3M
最小折弯内半径：
内外弯R>200mm


地踩（埋地）系列

UNDERGROUND




CS-201

材料长度：3.06M
最小折弯半径：
侧弯R>300
配PC/PP罩




CS-210

材料长度：3.06M
最小折弯半径：
侧弯R>300
配PC/PP罩



CS-246


材料长度：3.06M
最小折弯半径：
侧弯R>300
配PC/PP罩



CS-246A

材料长度：3.06M
最小折弯半径：
侧弯R>350
配PC/PP罩

常规造型
GENERAL SHAPE



Ring
圆环

品牌标识	系列代码	铝材型号	主要尺寸	截面宽度	安装方式	颜色	灯罩	功率参数	包装要求
------	------	------	------	------	------	----	----	------	------

产品型号示例 Model Example:

CS - R 020A - Ø600*30 E - SL - PC 1 S

型号表示用020A铝材做30宽直径600的银色圆环，嵌入式安装配PC罩，10W/M，中性包装

CS - R 035B - R300/4*40 E - WH - PC 1 S


型号表示用035B铝材做30宽半径300的白色1/4圆弧，嵌入式安装配PC罩，10W/M，中性包装

Circular
圆饼

CS - C 040A - Ø800C - SL - PC 1 S

型号表示用040A铝材做直径800的银色圆饼，吸顶安装配PC罩，10W/M，中性包装

Runway / Square
跑道/方形



产品型号示例 Model Example:

CS-S035A-1000*400*50P-BL-PC2S

型号表示用035A铝材做1000*400宽50的黑色跑道，吊装配PC罩，20W/M，中性包装

CS-S3535A-1200*598P-BL-SI2S

型号表示用3535铝材做1200*598的黑色跑道，吊装配硅胶罩，20W/M，中性包装

Ellipse
椭圆



产品型号示例 Model Example:

CS-E075-1000*628*50P-BL-PC2S

型号表示用075铝材做1000*628宽50的黑色椭圆，吊装配PC罩，20W/M，中性包装

Wave
波浪形





产品型号示例 Model Example:

CS-W3535-1000*100P-BL-SI2S


型号表示用3535铝材做弧长1000拱高100波浪形，吊装配硅胶罩，20W/M，中性包装



因材料及机器折弯条件限制，圆角内半径必需满足 $R > 100$
Due to material and machine bending conditions, the inner radius of the fillet must be greater than 100.




Triangle
三角形



CS-P040-1000*3P-BL-PC2S

型号表示用040铝材做边长100的正方形，吊装配PC罩，20W/M，中性包装




Square
正方形



CS-P075-1000*4P-BL-PC2S

型号表示用075铝材做边长100的正方形，吊装配PC罩，20W/M，中性包装




Hexagon
六边形






CS-P075-800*6P-BL-PC2S

型号表示用075铝材做边长800的六边形，吊装配PC罩，20W/M，中性包装

工程案例 PROJECT







HONDEL
LIGHTING


2023

柔性硅胶灯带套管设计制造商


Environmental friendly LED flexible
silicone lamp with sleeve

专业设计、生产、销售纯硅胶灯带套管
承接工程定制,设计开模,现货供应

正面发光系列



















开口带边系列















三面发光系列






侧面发光系列

6*12mm 侧面发光 	10*18mm 侧面发光 	10*10mm 侧面发光 	12*12mm 侧面发光 
10*20mm 侧面发光 	14*14mm 侧面发光 	16*16mm 侧面发光 	20*20mm 侧面发光 
10*23mm 侧面发光 	10*25mm 侧面发光 	12*25mm 侧面发光 	8*17mm 侧面发光 
6*12mm 侧面发光 	6*16mm 侧面发光 	6*16mm 侧面发光 	12*20mm 侧面发光 

圆形系列

10*10mm 圆形系列 	13*13mm 圆形系列 	15*13mm 圆形系列 	16mm 侧面发光 
20mm 圆形系列 	25mm 圆形系列 	14mm 圆形系列 	16mm 圆形系列 
18mm 圆形系列 	20mm 圆形系列 	22mm 圆形系列 	40mm 圆形系列 

侧面发光系列-单面侧发光
Side lighting series - single side lighting



产品系列尺寸
Product family size(mm)

4*8mm/4*10mm/6*12mm/8*12mm/8*15mm/10*12mm/10*18mm
12*12mm/12*20mm/14*14mm/16*16mm/20*20mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	侧发光- Side lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug

安全卡扣
Safety buckle

铝型材
Aluminum profile

可弯曲龙骨架
Flexible keel frame


侧面发光系列-半圆侧发光
Side light series - semicircular side light



产品系列尺寸
Product family size(mm)

4*8mm/4*10mm/6*12mm/8*12mm/8*15mm/10*12mm/10*18mm
12*12mm/12*20mm/14*14mm/16*16mm/20*20mm

发光角度-Luminous angle	180°
发光方向-Luminous direction	侧发光- Side lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug

安全卡扣
Safety buckle

铝型材
Aluminum profile

可弯曲龙骨架
Flexible keel frame

开口带边暗装系列-彩色面发光
Open band edge concealed series - black surface luminous



产品系列尺寸
Product family size(mm)





10*10mm/12*12mm/14*14mm/16*16mm/20*10mm/20*14mm
20*20mm/25*17mm/30*20mm/35*25mm/40*25mm/50*30mm
60*30mm/70*30mm/80*30mm/90*30mm/100*35mm/120*35mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	正发光-Top lighting
剪刀口-Scissors mouth	Yes



铝型材
Aluminum profile

开口带边暗装系列-彩色边发光
Open band edge concealed series - black edge glow



产品系列尺寸
Product family size(mm)

10*10mm/12*12mm/14*14mm/16*16mm/20*10mm/20*14mm
20*20mm/25*17mm/30*20mm/35*25mm/40*25mm/50*30mm
60*30mm/70*30mm/80*30mm/90*30mm/100*35mm/120*35mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	正发光-Top lighting
剪刀口-Scissors mouth	Yes



安全卡扣
Safety buckle






铝型材
Aluminum profile



可弯曲龙骨架
Flexible keel frame

侧面发光系列-三面侧发光
Side lighting series - three side lighting



产品系列尺寸
Product family size(mm)
4*8mm/4*10mm/6*12mm/8*12mm/8*15mm/10*12mm/10*18mm
12*12mm/12*20mm/14*14mm/16*16mm/20*20mm

发光角度-Luminous angle	180°
发光方向-Luminous direction	侧发光-Side lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug



安全卡扣
Safety buckle





铝型材
Aluminum profile



可弯曲龙骨架
Flexible keel frame

正面发光系列-家用款
Front luminous series - Household



产品系列尺寸
Product family size(mm)
10*10mm/12*12mm/14*14mm/16*16mm/18*17mm/20*10mm
20*14mm/20*20mm/25*17mm/30*14mm/30*20mm/30*30mm
35*25mm/40*25mm/45*25mm/50*30mm/60*30mm/70*30mm
80*30mm/90*30mm/100*35mm/120*35mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	正发光-Top lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug



安全卡扣
Safety buckle




铝型材
Aluminum profile



可弯曲龙骨架
Flexible keel frame

侧面发光系列-蘑菇头侧发光
Side light series - mushroom head side light



产品系列尺寸
Product family size(mm)
8*15mm/8*17mm/10*20mm/10*23mm/10*25mm/12*25mm
15*25mm

发光角度-Luminous angle	270°
发光方向-Luminous direction	侧发光-Side lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug



安全卡扣
Safety buckle




铝型材
Aluminum profile



可弯曲龙骨架
Flexible keel frame

正面发光系列-工程款
Front luminous series - project funds



产品系列尺寸
Product family size(mm)
10*10mm/12*12mm/14*14mm/16*16mm/18*17mm/20*10mm
20*14mm/20*20mm/25*17mm/30*14mm/30*20mm/30*30mm
35*25mm/40*25mm/45*25mm/50*30mm/60*30mm/70*30mm
80*30mm/90*30mm/100*35mm/120*35mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	正发光-Top lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug



安全卡扣
Safety buckle





铝型材
Aluminum profile



可弯曲龙骨架
Flexible keel frame

侧面发光系列-三面彩色侧发光
Side glow series - three centimeter black side glow



产品系列尺寸
Product family size(mm)
4*8mm/4*10mm/6*12mm/8*12mm/8*15mm/10*12mm/10*18mm
12*12mm/12*20mm/14*14mm/16*16mm/20*20mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	侧发光- Side lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug



安全卡扣
Safety buckle





铝型材
Aluminum profile



可弯曲龙骨架
Flexible keel frame

正面发光系列-全黑
Front luminous series - all black



产品系列尺寸
Product family size(mm)
10*10mm/12*12mm/14*14mm/16*16mm/18*17mm/20*10mm
20*14mm/20*20mm/25*17mm/30*14mm/30*20mm/30*30mm
35*25mm/40*25mm/45*25mm/50*30mm/60*30mm/70*30mm
80*30mm/90*30mm/100*35mm/120*35mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	正发光- Top lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug



型材卡扣
Safety buckle




铝型材
Aluminum profile



可弯曲龙骨架
Flexible keel frame

侧面发光系列-全彩色侧发光
Side light series - all black



产品系列尺寸
Product family size(mm)
4*8mm/4*10mm/6*12mm/8*12mm/8*15mm/10*12mm/10*18mm
12*12mm/12*20mm/14*14mm/16*16mm/20*20mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	侧发光- Side lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug



安全卡扣
Safety buckle




铝型材
Aluminum profile



可弯曲龙骨架
Flexible keel frame

正面发光系列-三面黑
Front luminous series - black on three sides



产品系列尺寸
Product family size(mm)
10*10mm/12*12mm/14*14mm/16*16mm/18*17mm/20*10mm
20*14mm/20*20mm/25*17mm/30*14mm/30*20mm/30*30mm
35*25mm/40*25mm/45*25mm/50*30mm/60*30mm/70*30mm
80*30mm/90*30mm/100*35mm/120*35mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	正发光- Top lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug



型材卡扣
Safety buckle






铝型材
Aluminum profile



可弯曲龙骨架
Flexible keel frame

正面发光系列-三面发光
Front luminous series - three sided white



产品系列尺寸
Product family size(mm)

10*10mm/12*12mm/14*14mm/16*16mm/18*17mm/20*10mm
20*14mm/20*20mm/25*17mm/30*14mm/30*20mm/30*30mm
35*25mm/40*25mm/45*25mm/50*30mm/60*30mm/70*30mm
80*30mm/90*30mm/100*35mm/120*35mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	正发光-Top lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug





安全卡扣
Safety buckle



铝型材
Aluminum profile

侧面发光系列-多用途强光照明
Side lighting series - multi purpose strong light lighting



产品系列尺寸
Product family size(mm)

10*10mm/12*12mm/14*14mm/16*16mm/18*17mm/20*10mm
20*14mm/20*20mm/25*17mm/30*14mm/30*20mm/30*30mm
35*25mm/40*25mm/45*25mm/50*30mm/60*30mm/70*30mm
80*30mm/90*30mm/100*35mm/120*35mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	侧发光-Side lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug



安全卡扣
Safety buckle





铝型材
Aluminum profile



可弯曲龙骨架
Flexible keel frame

360度发光系列-彩色面
360 degree luminous series - black surface



产品系列尺寸
Product family size(mm)

φ12/φ13/φ16/φ20/φ22/φ26/φ33/φ40/φ50

发光角度-Luminous angle	360°
发光方向-Luminous direction	360°发光-360° glow
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug





尾塞
Tail plug



安全卡扣
Safety buckle

开口带边暗装系列-白色面发光
Open band edge concealed series - white surface glow



产品系列尺寸
Product family size(mm)





10*10mm/12*12mm/14*14mm/16*16mm/20*10mm/20*14mm
20*20mm/25*17mm/30*20mm/35*25mm/40*25mm/50*30mm
60*30mm/70*30mm/80*30mm/90*30mm/100*35mm/120*35mm

发光角度-Luminous angle	120°
发光方向-Luminous direction	正发光-Top lighting
剪刀口-Scissors mouth	Yes



铝型材
Aluminum profile

270度半圆发光系列
270 degree luminous series



产品系列尺寸
Product family size(mm)
13*13mm/15*13mm

发光角度-Luminous angle	180°
发光方向-Luminous direction	侧发光- Side lighting
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug





尾塞
Tail plug



安全卡扣
Safety buckle

360度发光系列-白色面
360 degree luminous series - white



产品系列尺寸
Product family size(mm)
φ12/φ13/φ16/φ20/φ22/φ26/φ33/φ40/φ50

发光角度-Luminous angle	360°
发光方向-Luminous direction	360°发光-360° glow
剪刀口-Scissors mouth	Yes



出线堵头
Outlet plug



尾塞
Tail plug



安全卡扣
Safety buckle