




INDOOR LIGHTS



LIGHT UP YOUR
IMAGINATION




RED FLAG SERIES






More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
RED FLAG 55	HQ55-C	5-7W	COB	Ø68-H73	Ø55	BLACK, WHITE	15°/24°/36°/50°
RED FLAG 75	HQ75-C	9-12W	COB	Ø85-H92	Ø75	BLACK, WHITE	15°/24°/36°/50°
RED FLAG 95	HQ95-C	15-18W	COB	Ø110-H128	Ø95	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
HONGQI 75 SINGLE HEAD SQUARE	HQ75-S	9-12W	COB	L85-W85-H97	L75-W75	BLACK, WHITE	15°/24°/36°/50°
HONGQI 95 SINGLE HEAD SQUARE	HQ95-S	15-18W	COB	L110-W110-H135	L100-W100	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
HONGQI 75 SQUARE AT BOTH ENDS	HQ75-S2	2*9-12W	COB	W85-L158-H97	W75-L150	BLACK, WHITE	15°/24°/36°/50°
HONGQI 95 SQUARE AT BOTH ENDS	HQ95-S2	2*15-18W	COB	W110-L204-H135	W100-L190	BLACK, WHITE	15°/24°/36°/50°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
HONGQI 75 THREE-HEAD SQUARE	HQ75-S3	3*9-12W	COB	W85-L235-H102.5	W75-L225	BLACK, WHITE	15°/24°/36°/50°
HONGQI 95 THREE-HEAD SQUARE	HQ95-S3	3*15-18W	COB	W110-L298-H145	W100-L280	BLACK, WHITE	15°/24°/36°/50°

SPOTLIGHT


RED FLAG SERIES



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
RED FLAG ROUND BOUNDLESS 55	HQ55-CW	5-7W	COB	Ø80-H73	Ø55	BLACK, WHITE	15°/24°/36°/50°
RED FLAG ROUND BOUNDLESS 75	HQ75-CW	9-12W	COB	Ø101-H92	Ø75	BLACK, WHITE	15°/24°/36°/50°
RED FLAG ROUND BOUNDLESS 95	HQ95-CW	15-18W	COB	Ø128-H128	Ø95	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
HONGQI 75 FANG WUBIAN	HQ75-SW	9-12W	COB	L111-W111-H97	L75-W75	BLACK, WHITE	15°/24°/36°/50°
HONGQI 95 IS BOUNDLESS	HQ95-SW	15-18W	COB	L130-W130-H135	L100-W100	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
RED FLAG DOUBLE HEAD SQUARE BOUNDLESS 75	HQ75-SW2	2*9-12W	COB	W111-L187-H97	W75-L150	BLACK, WHITE	15°/24°/36°/50°
HONGQI DOUBLE HEADED SQUARE WITHOUT BORDERS 95	HQ95-SW2	2*15-18W	COB	W130-L186-H135	W100-L190	BLACK, WHITE	15°/24°/36°/50°





TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
RED FLAG THREE HEAD SQUARE BOUNDLESS 75	HQ75-SW3	3*9-12W	COB	W111-L260-H102.5	W75-L225	BLACK, WHITE	15°/24°/36°/50°
RED FLAG THREE HEADS SQUARE BOUNDLESS 95	HQ95-SW3	3*15-18W	COB	W130-L319-H145	W100-L280	BLACK, WHITE	15°/24°/36°/50°

GGG SERIES

DIAMOND SERIES



SPOTLIGHT


GOLD STEEL SERIES




[More details](#)




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
King Kong 55	JG55-C	5-7W	COB	Ø68-H73	Ø55	BLACK, WHITE	15°/24°/36°
King Kong 75	JG75-C	9-12W	COB	Ø85-H92	Ø75	BLACK, WHITE	15°/24°/36°
King Kong 95	JG95-C	15-18W	COB	Ø110-H128	Ø95	BLACK, WHITE	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
KING KONG SINGLE HEAD SQUARE 75	JG75-S	9-12W	COB	L85-W85-H97	L75-W75	BLACK, WHITE	15°/24°/36°
KING KONG SINGLE HEAD SQUARE 95	JG95-S	15-18W	COB	L110-W110-H130	L95-W95	BLACK, WHITE	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
DIAMOND TWO-END SQUARE 75	JG75-S2	2*9-12W	COB	W85-L158-H97	W75-L150	BLACK, WHITE	15°/24°/36°
KING KONG TWO-END SQUARE 95	JG95-S2	2*15-18W	COB	W110-L205-H130	W95-L190	BLACK, WHITE	15°/24°/36°



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
DIAMOND THREE-HEAD SQUARE 75	JG75-S3	3*9-12W	COB	W85-L235-H97	W75-L225	BLACK, WHITE	15°/24°/36°

SPOTLIGHT

GOLD STEEL SERIES



KING KONG SERIES SPOTLIGHTS




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
KING KONG 55 ROUND FRAMELESS	MBH-D85	5-7W	COB	Ø68-H73	Ø55	BLACK SAND, WHITE SAND	15°/24°/36°
KING KONG 75 ROUND FRAMELESS	MBH-D85	9-12W	COB	Ø85-H95	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°
KING KONG 95 ROUND FRAMELESS	MBH-D85	15-18W	COB	Ø110-H128	Ø95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
KING KONG 75 EDGELESS SINGLE HEAD	MBH-D85	9-12W	COB	L115-W115-H97	L75-W75	BLACK SAND, WHITE SAND	15°/24°/36°
KING KONG 95 EDGELESS SINGLE HEAD	MBH-D85	15-18W	COB	L130-W130-H130	L95-W95	BLACK SAND, WHITE SAND	15°/24°/36°



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
KING KONG 75 TWO-END	MBH-D85	2*9-12W	COB	W115-L185-H97	W75-L155	BLACK SAND, WHITE SAND	15°/24°/36°
KING KONG 95 TWO-END	MBH-D85	2*15-18W	COB	W130-L225-H130	W75-L190	BLACK SAND, WHITE SAND	15°/24°/36°

More details



MIRACLE SERIES



SPOTLIGHT


MIRACLE SERIES




MIRACLE SERIES SPOTLIGHTS



More details



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MIRACLE ADJUSTMENT 55	QJ55-C	3-6W	COB	Ø68-H72	Ø55	BRIGHT SILVER/GUN BLACK CHAMPAGNE GOLD/ROSE GOLD	15°/24°/36°/60°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MIRACLE ADJUSTMENT 75	QJ75-C	7-12W	COB	Ø85-H110	Ø75	BRIGHT SILVER/GUN BLACK CHAMPAGNE GOLD/ROSE GOLD	15°/24°/36°/60°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MIRACLE ADJUSTMENT 95	QJ95-C	15-18W	COB	Ø110-H110	Ø100-105	BRIGHT SILVER/GUN BLACK CHAMPAGNE GOLD/ROSE GOLD	15°/24°/36°/60°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MIRACLE ADJUSTMENT 125	QJ125-C	18-25W	COB	Ø110-H135		BRIGHT SILVER/GUN BLACK CHAMPAGNE GOLD/ROSE GOLD	15°/24°/36°/60°

SPOTLIGHT

MIRACLE SERIES



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MIRACLE FIXED 75	QJ75-C1	7-12W	COB	Ø85-H100	Ø75	BRIGHT SILVER/GUN BLACK CHAMPAGNE GOLD/ROSE GOLD	15°/24°/36°/60°



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MIRACLE FIXED 95	QJ95-C1	15-18W	COB	Ø110-H110	Ø100-105	BRIGHT SILVER/GUN BLACK CHAMPAGNE GOLD/ROSE GOLD	15°/24°/36°/60°



More details



CROWN SERIES



SPOTLIGHT


CROWN SERIES




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
CROWN 55	HG55-C	5-7W	COB	Ø68-H77	Ø55	BLACK SAND, WHITE SAND	15°/24°/36°
CROWN 55	HG75-C	9-12W	COB	Ø85-H78	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°
CROWN 55	HG95-C	15-18W	COB	Ø110-H102.5	Ø95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
CROWN SQUARE 75	HG75-S	9-12W	COB	L85-W85-H80	L75-W75	BLACK SAND, WHITE SAND	15°/24°/36°
CROWN SQUARE 95	HG95-S	15-18W	COB	L110-W110-H105	L95-W95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
CROWN DOUBLE HEAD SQUARE 75	HG75-S2	2*9-12W	COB	W85-L158-H80	W75-L150	BLACK SAND, WHITE SAND	15°/24°/36°
CROWN DOUBLE HEAD SQUARE 95	HG95-S2	2*15-18W	COB	W110-L205-H105	W95-L190	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
CROWN THREE-HEAD SQUARE 75	HG95-S3	3*9-12W	COB	W85-L235-H80	W75-L225	BLACK SAND, WHITE SAND	15°/24°/36°




More details



SPOTLIGHT

CROWN SERIES



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
CROWN ROUND BOUNDLESS 55	HG55-CW	5-7W	COB	Ø80-H77	Ø55	BLACK SAND, WHITE SAND	15°/24°/36°
CROWN ROUND BOUNDLESS 75	HG75-CW	9-12W	COB	Ø102-H78	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°
CROWN ROUND BOUNDLESS 95	HG95-CW	15-18W	COB	Ø130-H103	Ø95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
CROWN SQUARE BOUNDLESS 75	HG75-SW	9-12W	COB	L115-W115-H78	L75-W75	BLACK SAND, WHITE SAND	15°/24°/36°
CROWN SQUARE BOUNDLESS 95	HG95-SW	15-18W	COB	L130-W130-H105	L95-W95	BLACK SAND, WHITE SAND	15°/24°/36°





TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
CROWN DOUBLE HEAD SQUARE WITHOUT EDGE 75	HG75-SW2	2*9-12W	COB	W115-L185-H78	W75-L155	BLACK SAND, WHITE SAND	15°/24°/36°
CROWN DOUBLE HEAD SQUARE WITHOUT EDGE 95	HG95-SW2	2*15-18W	COB	W130-L225-H105	W75-L190	BLACK SAND, WHITE SAND	15°/24°/36°

MASERATI SERIES




SPOTLIGHT


Maserati series




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MARTHA 55	MS55-C	5-7W	COB	Ø68-H78	Ø55	BLACK, WHITE	15°/24°/36°/50°
MARTHA 75	MS75-C	5-7W	COB	Ø85-H98	Ø75	BLACK, WHITE	15°/24°/36°/50°
MARTHA 95	MS95-C	5-7W	COB	Ø110-H136	Ø95	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MARTHA SINGLE HEAD SQUARE 75	MS75-S	9-12W	COB	L85-W85-H102.5	L75-W75	BLACK, WHITE	15°/24°/36°/50°
MARTHA SINGLE HEAD SQUARE 95	MS95-S	15-18W	COB	L110-W110-H145	L100-W100	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MARTHA DOUBLE HEAD SQUARE 75	MS75-S2	2*9-12W	COB	W85-L158-H102.5	W75-L150	BLACK, WHITE	15°/24°/36°/50°
MARTHA DOUBLE HEAD SQUARE 95	MS95-S2	2*15-18W	COB	W110-L204-H145	W100-L190	BLACK, WHITE	15°/24°/36°/50°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MARTHA THREE-HEAD SQUARE 75	MS75-S3	3*9-12W	COB	W85-L235-H102.5	W75-L225	BLACK, WHITE	15°/24°/36°/50°
MARTHA THREE-HEAD SQUARE 95	MS95-S3	3*15-18W	COB	W110-L298-H145	W100-L280	BLACK, WHITE	15°/24°/36°/50°

More details



SPOTLIGHT


Maserati series



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MARTHA ROUND BOUNDLESS 55	MS55-CW	5-7W	COB	Ø80-H78	Ø55	BLACK, WHITE	15°/24°/36°/50°
MARTHA ROUND BOUNDLESS 75	MS75-CW	5-7W	COB	Ø101-H98	Ø75	BLACK, WHITE	15°/24°/36°/50°
MARTHA ROUND BOUNDLESS 95	MS95-CW	5-7W	COB	Ø128-H136	Ø95	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MARTHA FANG WUBIAN 75	MS75-SW	9-12W	COB	L111-W111-H102.5	L75-W75	BLACK, WHITE	15°/24°/36°/50°
MARTHA FANG WUBIAN 95	MS95-SW	15-18W	COB	L130-W130-H145	L100-W100	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MARTHA DOUBLE HEAD SQUARE BOUNDLESS 75	MS75-SW2	2*9-12W	COB	W111-L187-H102.5	W75-L150	BLACK, WHITE	15°/24°/36°/50°
MARTHA DOUBLE HEAD SQUARE BOUNDLESS 95	MS95-SW2	2*15-18W	COB	W130-L186-H145	W100-L190	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
MARTHA THREE-HEADED SQUARE WITHOUT BORDERS 75	MS95-SW3	3*9-12W	COB	W111-L260-H102.5	W75-L225	BLACK, WHITE	15°/24°/36°/50°
MARTHA THREE-HEADED SQUARE WITHOUT BORDERS 95	MS95-SW3	3*15-18W	COB	W110-L298-H145	W100-L280	BLACK, WHITE	15°/24°/36°/50°

LARGE-G SERIES

BIG G SERIES




SPOTLIGHT


Big G series




BIG G SERIES SPOTLIGHTS




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
BIG G 55	DG55-C	5-7W	COB	Ø68-H78	Ø55	BLACK, WHITE	15°/24°/36°/50°
BIG G 75	DG75-C	9-12W	COB	Ø85-H98	Ø75	BLACK, WHITE	15°/24°/36°/50°
BIG G 95	DG95-C	15-18W	COB	Ø110-H136	Ø95	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
BIG G SINGLE HEAD SQUARE 75	DG75-S	9-12W	COB	L85-W85-H102.5	L75-W75	BLACK, WHITE	15°/24°/36°/50°
BIG G SINGLE HEAD SQUARE 95	DG95-S	15-18W	COB	L110-W110-H145	L100-W100	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
BIG G DOUBLE HEAD SQUARE 75	DG75-S2	2*9-12W	COB	W85-L158-H102.5	W75-L150	BLACK, WHITE	15°/24°/36°/50°
BIG G DOUBLE HEAD SQUARE 95	DG95-S2	2*15-18W	COB	W110-L204-H145	W100-L190	BLACK, WHITE	15°/24°/36°/50°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
BIG G THREE-HEAD SQUARE 75	DG75-S3	3*9-12W	COB	W85-L235-H102.5	W75-L225	BLACK, WHITE	15°/24°/36°/50°
BIG G THREE-HEAD SQUARE 95	DG95-S3	3*15-18W	COB	W110-L298-H145	W100-L280	BLACK, WHITE	15°/24°/36°/50°

More details

SPOTLIGHT


Big G series



更多细节
More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
BIG G ROUND BOUNDLESS 55	DG55-CW	5-7W	COB	Ø80-H78	Ø55	BLACK, WHITE	15°/24°/36°/50°
BIG G ROUND BOUNDLESS 75	DG75-CW	9-12W	COB	Ø101-H98	Ø75	BLACK, WHITE	15°/24°/36°/50°
BIG G ROUND BOUNDLESS 95	DG95-CW	15-18W	COB	Ø128-H136	Ø95	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
BIG G SQUARE BOUNDLESS 75	DG75-SW	9-12W	COB	L111-W111-H102.5	L75-W75	BLACK, WHITE	15°/24°/36°/50°
BIG G SQUARE BOUNDLESS 95	DG95-SW	15-18W	COB	L130-W130-H145	L100-W100	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
BIG G DOUBLE HEAD SQUARE EDGELESS 75	DG75-SW2	2*9-12W	COB	W111-L187-H102.5	W75-L150	BLACK, WHITE	15°/24°/36°/50°
	DG95-SW2	2*15-18W	COB	W130-L186-H145	W100-L190	BLACK, WHITE	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	LAMP CUP COLOR	BEAM ANGLE
BIG G THREE-HEAD SQUARE EDGELESS 75	DG75-SW3	3*9-12W	COB	W111-L260-H102.5	W75-L225	BLACK, WHITE	15°/24°/36°/50°
BIG G THREE-HEAD SQUARE EDGELESS 95	DG95-SW3	3*15-18W	COB	W130-L319-H145	W100-L280	BLACK, WHITE	15°/24°/36°/50°



TESLA SERIES




SPOTLIGHT

TESLA SERIES




TESLA SERIES SPOTLIGHTS



More details




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA 55	TSL55-C	5-7W	COB	Ø68-H77	Ø55	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA 75	TSL75-C	9-12W	COB	Ø85-H78	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA 95	TSL95-C	15-18W	COB	Ø110-H102.5	Ø95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA FANG 75	TSL75-S	9-12W	COB	L85-W85-H80	L75-W75	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA FANG 95	TSL95-S	15-18W	COB	L110-W110-H105	L95-W95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA DOUBLE-HEADED SQUARE 75	TSL75-S2	2*9-12W	COB	W85-L158-H80	W75-L150	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA DOUBLE-HEADED SQUARE 95	TSL95-S2	2*15-18W	COB	W110-L205-H105	W95-L190	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA THREE-HEAD SQUARE 75	TSL75-S3	3*9-12W	COB	W85-L235-H80	W75-L225	BLACK SAND, WHITE SAND	15°/24°/36°

SPOTLIGHT


TESLA SERIES



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA ROUND BOUNDLESS 55	TSL55-CW	5-7W	COB	Ø80-H77	Ø55	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA ROUND BOUNDLESS 75	TSL75-CW	9-12W	COB	Ø102-H78	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA ROUND BOUNDLESS 95	TSL95-CW	15-18W	COB	Ø130-H103	Ø95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA FANG WUBIAN 75	TSL75-SW	9-12W	COB	L115-W115-H78	L75-W75	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA FANG WUBIAN 95	TSL95-SW	15-18W	COB	L130-W130-H105	L95-W95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA DOUBLE-HEADED SQUARE EDGELESS 75	TSL75-SW2	2*9-12W	COB	W115-L185-H78	W75-L155	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA DOUBLE-HEADED SQUARE EDGELESS 95	TSL95-SW2	2*15-18W	COB	W130-L225-H105	W75-L190	BLACK SAND, WHITE SAND	15°/24°/36°





TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA THREE-HEADED SQUARE EDGELESS 75	TSL75-SW3	3*9-12W	COB	W85-L235-H80	W75-L225	BLACK SAND, WHITE SAND	15°/24°/36°

TESLA2 SERIES



SPOTLIGHT


TESLA SERIES



More details




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA II 55	TSL55-C	5-7W	COB	Ø68-H77	Ø55	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA II 75	TSL75-C	9-12W	COB	Ø85-H78	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA II 95	TSL95-C	15-18W	COB	Ø110-H102.5	Ø95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA II SQUARE 75	TSL75-S	9-12W	COB	L85-W85-H80	L75-W75	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA II SQUARE 95	TSL95-S	15-18W	COB	L110-W110-H105	L95-W95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA II DOUBLE-HEADED SQUARE 75	TSL75-S2	2*9-12W	COB	W85-L158-H80	W75-L150	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA II DOUBLE-HEADED SQUARE 95	TSL95-S2	2*15-18W	COB	W110-L205-H105	W95-L190	BLACK SAND, WHITE SAND	15°/24°/36°



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA II THREE-HEAD SQUARE 75	TSL75-S3	3*9-12W	COB	W85-L235-H80	W75-L225	BLACK SAND, WHITE SAND	15°/24°/36°

SPOTLIGHT

TESLA SERIES




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA II ROUND BOUNDLESS 55	TSL55-CW	5-7W	COB	Ø80-H77	Ø55	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA II ROUND BOUNDLESS 75	TSL75-CW	9-12W	COB	Ø102-H78	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA II ROUND BOUNDLESS 95	TSL95-CW	15-18W	COB	Ø130-H103	Ø95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA II SQUARE BOUNDLESS 75	TSL75-SW	9-12W	COB	L115-W115-H78	L75-W75	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA II SQUARE BOUNDLESS 95	TSL95-SW	15-18W	COB	L130-W130-H105	L95-W95	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA II DOUBLE-HEADED SQUARE EDGELESS 75	TSL75-SW2	2*9-12W	COB	W115-L185-H78	W75-L155	BLACK SAND, WHITE SAND	15°/24°/36°
TESLA II DOUBLE-HEADED SQUARE EDGELESS 95	TSL95-SW2	2*15-18W	COB	W130-L225-H105	W75-L190	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TESLA II THREE-HEAD SQUARE EDGELESS 95	TSL75-SW3	3*9-12W	COB	W85-L235-H80	W75-L225	BLACK SAND, WHITE SAND	15°/24°/36°

More details



PHANTOM SERIES

PHANTOM SERIES SPOTLIGHTS



SPOTLIGHT


PHANTOM SERIES



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PHANTOM ARC 55	MBH-D85	5-7W	COB	Ø78-H63	Ø55	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PHANTOM CURVED 7501	HY55-C	7-9W	COB	Ø85-H72	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PHANTOM CURVED 7502	HY75-1C	7-12W	COB	Ø85-H110	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PHANTOM CURVED 7503	HY75-2C	15-18W	COB	Ø85-H130	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PHANTOM ARC 95	HY75-3C	15-18W	COB	Ø111-H143	Ø95	BLACK SAND, WHITE SAND	15°/24°/36°/61°

SPOTLIGHT

PHANTOM SERIES



TECHNICAL PARAMETERS




Cutout 55mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PHANTOM ELLIPSE 55	HY55-T	7-9W	13XX	Ø85-H72	Ø75	SAND WHITE, SAND BLACK WHITE + BLACK	15°/24°/36°/60°



TECHNICAL PARAMETERS



Cutout 75mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PHANTOM ELLIPSOID 7501	HY75-1T	7-12W	15XX	Ø85-H110	Ø75	SAND WHITE, SAND BLACK WHITE + BLACK	15°/24°/36°/60°



TECHNICAL PARAMETERS




Cutout 75mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PHANTOM ELLIPSOID 7502	HY75-2T	15-18W	15XX	Ø85-H130	Ø75	SAND WHITE, SAND BLACK WHITE + BLACK	15°/24°/36°/60°



TECHNICAL PARAMETERS



Cutout 95mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PHANTOM ELLIPSOID 7503	HY75-3T	15-18W	15XX	Ø110-H143	Ø95	SAND WHITE, SAND BLACK WHITE + BLACK	15°/24°/36°/60°

More details



QIXIAOFU SERIES

MINI SPOTLIGHT SERIES




SPOTLIGHT

SEVEN LITTLE FORTUNES SERIES




More details



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
SEVEN LITTLE FORTUNES FIXED 30	QXF30	1W	COB	Ø40-H41	Ø30	ELECTROPHORETIC BLACK + SPRAY PAINT WHITE	15°/24°/36°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
SEVEN LITTLE FORTUNES FIXED 40	QXF40	3W	COB	Ø45-H51	Ø40	ELECTROPHORETIC BLACK + SPRAY PAINT WHITE	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
SEVEN LITTLE FORTUNES FIXED 50	QXF50	5W	COB	Ø56-H70	Ø50	ELECTROPHORETIC BLACK + SPRAY PAINT WHITE	15°/24°/36°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
SEVEN LITTLE FORTUNES FIXED 60	QXF60	7W	COB	Ø69-H80	Ø60	ELECTROPHORETIC BLACK + SPRAY PAINT WHITE	15°/24°/36°

SPOTLIGHT

SEVEN LITTLE FORTUNES SERIES



More details



TECHNICAL PARAMETERS



Cutout 30mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
SEVEN LITTLE FORTUNES ADJUSTABLE 40	QXF40-1	3W	COB	Ø45-H55	Ø40	ELECTROPHORETIC BLACK + SPRAY PAINT WHITE	15°/24°/36°




TECHNICAL PARAMETERS




Cutout 40mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
SEVEN LITTLE FORTUNES ADJUSTABLE 50	QXF50-1	3-5W	COB	Ø56-H80	Ø50	ELECTROPHORETIC BLACK + SPRAY PAINT WHITE	15°/24°/36°




TECHNICAL PARAMETERS



Cutout 50mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
SEVEN LITTLE FORTUNES ADJUSTABLE 60	QXF60-1	5W	COB	Ø69-H90	Ø60	ELECTROPHORETIC BLACK + SPRAY PAINT WHITE	15°/24°/36°

ELF - RICH SERIES



SPOTLIGHT

TESLA SERIES



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
ELF FIXED 30	XJL30	1W	COB	Ø35-H45	Ø30	ELECTROPHORESIS BLACK	15°/24°/36°/60°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
ELF FIXED 40	XJL40	3W	COB	Ø45-H53	Ø40	ELECTROPHORESIS BLACK	15°/24°/36°/60°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
ELF FIXED 50	XJL50	5W	COB	Ø55-H60	Ø50	ELECTROPHORESIS BLACK	15°/24°/36°/60°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
ELF FIXED 60	XJL60	7W	COB	Ø65-H65	Ø60	ELECTROPHORESIS BLACK	15°/24°/36°/60°

SPOTLIGHT


TESLA SERIES



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
ELF ADJUSTABLE 30	XJL30-1	1W	COB	Ø35-H45	Ø30	ELECTROPHORESIS BLACK	15°/24°/36°/60°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
ELF ADJUSTABLE 40	XJL40-1	3W	COB	Ø45-H53	Ø40	ELECTROPHORESIS BLACK	15°/24°/36°/60°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
ELF ADJUSTABLE 50	XJL50-1	5W	COB	Ø55-H60	Ø50	ELECTROPHORESIS BLACK	15°/24°/36°/60°



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
ELF ADJUSTABLE 60	XJL60-1	7W	COB	Ø65-H65	Ø60	ELECTROPHORESIS BLACK	15°/24°/36°/60°



MINI SERIES

MINI SPOTLIGHT SERIES




SPOTLIGHT


MINI SERIES



More details



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
MINI 18	MN18	1W	COB	Ø22-H40	Ø18	ALL BLACK/ALL WHITE	15°/25°/45°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
MINI 30	MN30	1-3W	COB	Ø34-H41	Ø30	WHITE+BLACK	10°/24°/36°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
MINI 35	MN35	3W	COB	Ø42-H53	Ø35	WHITE+BLACK	5°/8°/10°/15°/24°/36°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
MINI 45	MN45	3W	COB	Ø52-H50	Ø45	WHITE+BLACK/WHITE+GRAY/ALL BLACK	5°/8°/10°/15°/24°/36°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
MINI 55	MN55	7-10W	COB	Ø62-H55	Ø55	WHITE+BLACK/ALL BLACK	5°/8°/10°/15°/24°/36°

MAYBACH SERIES




SPOTLIGHT


MAYBACH SERIES




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
MAYBACH 75	MB75-C	7W	13XX	Ø85-H50	Ø75-80	SAND WHITE, SAND BLACK WHITE + BLACK	15°/24°/36°/60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
MAYBACH 95	MB95-C	12W	15XX	Ø100-H60	Ø90-95	SAND WHITE, SAND BLACK WHITE + BLACK	15°/24°/36°/60°



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
MAYBACH 115	MB115-C	20W	15XX	Ø125-H65	Ø115-120	SAND WHITE, SAND BLACK WHITE + BLACK	15°/24°/36°/60°

More details



911 SERIES



SPOTLIGHT

911 SERIES




More details



911 SERIES SPOTLIGHTS




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
911 ROUND 75	911-C	7-12W	13XX	Ø85-H38		MATT WHITE, MATT BLACK, WHITE + BLACK	12°/24°/36°/60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
911 SQUARE 75	911-S	7-12W	13XX	L85-W85-H38	Ø75	MATT WHITE, MATT BLACK, WHITE + BLACK	12°/24°/36°/60°





TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
911 DOUBLE-HEADED SQUARE	911-S2	7-12W*2	13XX	L168-W85-H38	Ø155*75	MATT WHITE, MATT BLACK, WHITE + BLACK	12°/24°/36°/60°

CAYENNE SERIES




SPOTLIGHT


CAYENNE SERIES




CAYENNE SERIES SPOTLIGHTS




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
CAYENNE ROUND 75	KY75-C	7-12W	15XX	Ø85-H65	Ø75	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°
CAYENNE ROUND 95	KY95-C	15-18W	15XX	Ø105-H85	Ø95	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
CAYENNE SQUARE 75	KY75-S	7-12W	15XX	L85-W85-H65	Ø75	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°
CAYENNE SQUARE 95	KY95-S	15-18W	15XX	L105-W105-H85	Ø95	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
CAYENNE DOUBLE HEAD SQUARE 75	KY75-S2	7-12W*2	15XX	L168-W85-H65	Ø155-75	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°
CAYENNE DOUBLE HEAD SQUARE 95	KY95-S2	15-18W*2	15XX	L210-W105-H85	Ø200-95	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°

More details



PALAMERA SERIES




SPOTLIGHT


PANAMERA SERIES




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PARAME ROUND 75	PLM75-C	7-12W	15XX	Ø85-H60	Ø75	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°
PARAME ROUND 95	PLM95-C	15-18W	15XX	Ø105-H70	Ø95	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PARAMEFANG 75	PLM75-S	7-12W	15XX	L85-W85-H60	Ø75	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°
PARAMEFANG 95	PLM95-S	15-18W	15XX	L105-W105-H70	Ø95	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
PARAME DOUBLE HEAD SQUARE 75	PLM75-S2	7-12W*2	15XX	L168-W85-H60	Ø155-75	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°
PARAME DOUBLE HEAD SQUARE 95	PLM95-S2	15-18W*2	15XX	L210-W105-H70	Ø200-95	WHITE/BLACK/ WHITE+BLACK	15°/24°/36°/60°




More details





MAYBACH SERIES

WIND AND CLOUD SERIES



DOWNLIGHT

STORM SERIES



TECHNICAL PARAMETERS



Cutout 55mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
FENGYUN 65	FY55-C	5/7W	COB	Ø60-H38	Ø55	SAND RED + WHITE	15°/24°/38°/60°



TECHNICAL PARAMETERS



Cutout 65mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
FENGYUN 65	FY65-C	7W	COB	Ø70-H36	Ø65	SAND RED + WHITE	15°/24°/38°/60°



TECHNICAL PARAMETERS




Cutout 75mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
FENGYUN 75	FY75-C	12W	COB	Ø82-H40	Ø75	砂红+白	15°/24°/38°/60°



TECHNICAL PARAMETERS



Cutout 95mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
FENGYUN 95	FY95-C	20W	COB	Ø102-H46	Ø95	SAND RED + WHITE	15°/24°/38°/60°

More details



DOWNLIGHT

STORM SERIES



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
FENGYUN II 65	FY65-C- II	7W	COB	Ø70-H50	Ø65	SAND RED + WHITE	15°/24°/36°/60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
FENGYUN II 75	FY75-C- II	12W	COB	Ø82-H55	Ø75	SAND RED + WHITE	15°/24°/36°/60°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
FENGYUN II 95	FY95-C- II	20W	COB	Ø102-H60	Ø95	SAND RED + WHITE	15°/24°/36°/60°

More details



LINCOLN SERIES



SPOTLIGHT

LINCOLN SERIES



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LINCOLN 95	LK65-C	7-9W	COB	Ø70-H55	Ø65	BLACK SAND, WHITE SAND	15°/24°/36°/50°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LINCOLN 95	LK75-C	12W	COB	Ø85-H65	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°/50°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LINCOLN 95	LK95-C	15-18W	COB	Ø102-H75	Ø95	BLACK SAND, WHITE SAND	15°/24°/36°/50°

More details



BULL'S EYE SERIES



SPOTLIGHT

LINCOLN SERIES


OPTICAL ANGLE CAN BE 15°/24°/36°/50°



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
BULL'S EYE 65	NY65-C	15-18W	COB	Ø85-H100	Ø65	BLACK SAND, WHITE SAND	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
BULL'S EYE 75	NY75-C	18-25W	COB	Ø105-H120	Ø75	BLACK SAND, WHITE SAND	15°/24°/36°/50°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
BULL'S EYE 95	NY95-C	25-35W	COB	Ø135-H130	Ø95	BLACK SAND, WHITE SAND	15°/24°/36°/50°

SURFACE MOUNTED SQUARE LAMP

SURFACE MOUNTED SQUARE TUBE LIGHT



DOWNLIGHT


EXPOSED TUBE SERIES



SURFACE MOUNTED SQUARE DOWNLIGHT




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
EXPOSED SQUARE TUBE 74	MJT74-S	12W	COB	L74-W74-H95	020/1507	BLACK SAND, WHITE SAND	15°/30°/40°
EXPOSED SQUARE TUBE 94	MJT94-S	15W	COB	L94-W94-H110	020/1507	BLACK SAND, WHITE SAND	15°/30°/40°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
EXPOSED DOUBLE-ENDED SQUARE TUBE 74	MJT74-2S	12W*2	COB	L143-W74-H95	020/1507	BLACK SAND, WHITE SAND	15°/30°/40°
SURFACE MOUNTED DOUBLE-ENDED SQUARE TUBE 94	MJT94-2S	15W*2	COB	L185-W94-H113	020/1507	BLACK SAND, WHITE SAND	15°/30°/40°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
EXPOSED THREE-HEAD SQUARE TUBE 74	MJT74-3S	12W*3	COB	L213-W74-H95	020/1507	BLACK SAND, WHITE SAND	15°/30°/40°
EXPOSED THREE-HEAD SQUARE TUBE 94	MJT94-3S	15W*3	COB	L275-W94-H113	020/1507	BLACK SAND, WHITE SAND	15°/30°/40°



More details



HEAVENLY PALACE SERIES

TIANGONG SERIES




DOWNLIGHT


TIANGONG SERIES



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TIANGONG 90	TG90-C	12W	COB	L90-W90-H90	Ø20/1507	BLACK SAND, WHITE SAND	40°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TIANGONG 110	TG110-C	20W	COB	L110-W110-H112	30	BLACK SAND, WHITE SAND	40°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TIANGONG 130	TG130-C	30W	COB	L130-W130-H165	30	BLACK SAND, WHITE SAND	40°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
TIANGONG 160	TG160-C	40W	COB	L160-W160-H165	30	BLACK SAND, WHITE SAND	40°

More details



CIRCULAR SERIES

ROUND SURFACE MOUNTED SERIES



DOWNLIGHT


ROUND SURFACE MOUNTED SERIES



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPTICAL COMPONENTS	LAMP CUP COLOR	BEAM ANGLE
YUANMINGZHUANG72	YMZ72-C	12W	COB	Ø72-H105	LENS/HONEYCOMB/STRIPES/PATCH	WHITE/GUN BLACK/ROSE GOLD/GOLD/SILVER	15°/24°/36°/60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPTICAL COMPONENTS	LAMP CUP COLOR	BEAM ANGLE
YUANMINGZHUANG92	YMZ92-C	15-18W	COB	Ø92-H115	LENS/HONEYCOMB/STRIPES/PATCH	WHITE/GUN BLACK/ROSE GOLD/GOLD/SILVER	15°/24°/36°/60°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPTICAL COMPONENTS	LAMP CUP COLOR	BEAM ANGLE
YUANMINGZHUANG114	YMZ114-C	24-30W	COB	Ø114-H125	LENS/HONEYCOMB/STRIPES/PATCH	WHITE/GUN BLACK/ROSE GOLD/GOLD/SILVER	15°/24°/36°/60°

More details



WATERPROOF SERIES

WATERPROOF SURFACE-MOUNTED SERIES



DOWNLIGHT

WATERPROOF SURFACE-MOUNTED SERIES



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
WATERPROOF ROUND BRIGHT PACKAGE 72	FST72-C	12-15W	COB	Ø72-H100	IP44	PURE WHITE/ PURE BLACK	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
WATERPROOF ROUND BRIGHT INSTALLATION 90	FST90-C	15-18W	COB	Ø90-H110	IP44	PURE WHITE/ PURE BLACK	15°/24°/36°/50°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
WATERPROOF ROUND BRIGHT DECORATION 114	FST114-C	24W	COB	Ø114-H118	IP44	PURE WHITE/ PURE BLACK	15°/24°/36°/50°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
WATERPROOF ROUND BRIGHT INSTALLATION 140	FST140-C	55W	COB	Ø140-H160	IP44	PURE WHITE/ PURE BLACK	15°/24°/36°/50°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
WATERPROOF ROUND BRIGHT INSTALLATION 170	FST170-C	90W	COB	Ø170-H195	IP44	PURE WHITE/ PURE BLACK	15°/24°/36°/50°



STAR CURTAIN SERIES

STAR CURTAIN SURFACE MOUNT SERIES



DOWNLIGHT

STAR CURTAIN SURFACE MOUNT SERIES



More details



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
STAR CURTAIN 135	XM135-C	6-9W	3030	L135-W135-H35.5	Ø72-H105	SAND WHITE/ SAND BLACK	15°/24°/36°/60°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
STAR CURTAIN 201	XM201-C	20-30W	3030	L201-W201-H35.5	IP44	SAND WHITE/ SAND BLACK	15°/24°/36°/60°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
STAR CURTAIN 431	XM431-C	15-18W	3030	L431-W90-H35.5	IP44	SAND WHITE/ SAND BLACK	15°/24°/36°/60°




TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
STAR CURTAIN THREE HEADS 135	XM135-C2	18-27W	3030	L365-W135-H35.5	IP44	SAND WHITE/ SAND BLACK	15°/24°/36°/60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
STAR CURTAIN DOUBLE HEAD 201	XM201-C2	40-60W	3030	L365-W170-H35.5	IP44	SAND WHITE/ SAND BLACK	15°/24°/36°/60°





LAMBORGHINI SERIES

LAMBORGHINI SERIES



SPOTLIGHT


LAMBORGHINI SERIES



More details



TECHNICAL PARAMETERS




Cutout 60-65mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI ROUND 65	LBJ65-C	5-7W	COB/SMD	Ø71-H51	Ø60-65	BLACK, WHITE	15°/24°/36°/60°



TECHNICAL PARAMETERS




Cutout 60-65mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI F65	LBJ65-S	5-7W	COB/SMD	L71-W71-H51	Ø60-65	BLACK, WHITE	15°/24°/36°/60°



TECHNICAL PARAMETERS




Cutout 60-130mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI DOUBLE HEAD SQUARE 65	LBJ65-2S	5-7W	COB/SMD	L141-W71-H51	Ø60-130	BLACK, WHITE	15°/24°/36°/60°



TECHNICAL PARAMETERS




Cutout 60-130mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI TRIO 60	LBJ60-3S	5-7W	COB/SMD	L252-W71-H51	Ø60-200	BLACK, WHITE	15°/24°/36°/60°



TECHNICAL PARAMETERS



Cutout 60-200mm

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI QUATTROPORTE 130	LBJ130-4S	5-7W	COB/SMD	L141-W141-H51	Ø130-130	BLACK, WHITE	15°/24°/36°/60°

SPOTLIGHT


LAMBORGHINI SERIES



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI ROUND 75	LBJ75-C	12W	COB	Ø88-H60	Ø75	BLACK, WHITE	15°/24°/36°/60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI F75	LBJ75-S	12W	COB	L88-W88-H60	Ø75	BLACK, WHITE	15°/24°/36°/60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI DOUBLE HEAD SQUARE 75	LBJ75-2S	12W	COB	L172-W88-H60	Ø70-160	BLACK, WHITE	15°/24°/36°/60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI TRIO 75	LBJ75-3S	12W	COB	L255-W88-H60	Ø75-240	BLACK, WHITE	15°/24°/36°/60°



TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI QUATTROPORTE 160	LBJ160-4S	12W	COB	L172-W172-H60	Ø160-160	BLACK, WHITE	15°/24°/36°/60°

SPOTLIGHT


LAMBORGHINI SERIES



More details




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI ROUND 95	LBJ95-C	15-18W	SMD	Ø100-H100	Ø95	BLACK, WHITE	15°/24°/36°/60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI FANG 95	LBJ95-S	15-18W	SMD	L100-W100-H60	Ø95	BLACK, WHITE	15°/24°/36°/60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI DOUBLE HEAD SQUARE 95	LBJ95-2S	15-18W	SMD	L205-W100-H60	Ø95-195	BLACK, WHITE	15°/24°/36°/60°



TECHNICAL PARAMETERS




PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI TRIO 95	LBJ95-3S	15-18W	SMD	L310-W100-H60	Ø95-300	BLACK, WHITE	15°/24°/36°/60°

SPOTLIGHT

LAMBORGHINI SERIES




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI ROUND 115	LBJ115-C	24-30W	COB	Ø 132-H80	Ø 115-120	BLACK, WHITE	60°




TECHNICAL PARAMETERS



PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI FANG 115	LBJ115-S	24-30W	COB	L132-W132-H80	Ø 115-120	BLACK, WHITE	60°

More details






SPOTLIGHT

LAMBORGHINI SERIES



TECHNICAL PARAMETERS




Cutout

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI SURFACE MOUNT 85	LBJ85	12-15W	SMD/COB	L85-W85-H89	---	WHITE SAND, BLACK SAND	15°/24°/36°/60°




TECHNICAL PARAMETERS




Cutout

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI SURFACE MOUNTED DOUBLE HEAD 85	LBJ85-2	12-15W	SMD/COB	L163-W85-H89	---	WHITE SAND, BLACK SAND	15°/24°/36°/60°




TECHNICAL PARAMETERS




Cutout....

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI EXPOSED THREE-HEAD 85	LBJ85-3	12-15W	SMD/COB	L240-W85-H89	---	WHITE SAND, BLACK SAND	15°/24°/36°/60°



TECHNICAL PARAMETERS



Cutout

PRODUCT NAME	MODEL	POWER	LIGHT SOURCE	SIZE	OPENING	COLOR	BEAM ANGLE
LAMBORGHINI EXPOSED FOUR-HEAD 163	LBJ163-4	12-15W	SMD/COB	L163-W163-H89	---	WHITE SAND, BLACK SAND	15°/24°/36°/60°

More details

